Technical datasheet

Ropanyl EM05 6/1 00+02 light blue AS FG AM

color



Article code: SBRY579790

Synthetic Belts				
Food: Confectionary & candy, Bakery				
Antistatic, Foodgrade, Anti-microbial				
Slider bed, Rollers, Flat				
	polyester, extra stable			
	1			
material	Ropanyl, TPU			
finish	smooth, glossy			
color	Light blue			
material	Ropanol, PUR			
finish	impregnated fabric			
	Food: Confectionary & candy, Antistatic, Foodgrade, Anti-mi Slider bed, Rollers, Flat material finish color material			

Characteristics		
Food Grade (FG)	yes	EC 1935/2004, EU 10/2011; FDA
Antistatic (AS)	yes	ISO 21178
High conductive (HC)	no	
ATEX approval	no	

Light blue

Technical data

recimical data						
Hardness	ISO 868	top side	85A	Shore		
Force at 1% elongation (static)	ISO 21181		6	N/mm	34.26	lbs/in.
Thickness	AB method KV.002	total	1.10	mm	0.04	in.
		top cover	0.30	mm	0.01	in.
Weight	AB method KV.004		1.4	kg/m²	0.29	lbs/ft²
Operating temperature	continuous	from / to	-20 / 90	°C	-4 / 194	°F
	short	from / to	-30 / 110	°C	-22 / 230	°F
Minimum pulley diameter	flexing		10	mm	0.39	in.
	backflexing		40	mm	1.57	in.
Manufacturing width	standard		2100	mm	82.68	in.
	maximum		2040	mm	80.31	in.

Fabrication

Hot splicing is always preferable. Glueing can only be done when the belt is exposed to normal temperature and the humidity is not excessive. For the working method, consult the splice information and the equipment literature. Apply the recommended splice as indicated in the seperate information.

Additional information

This sheet contains typical values, which apply to a temperature of approx. 20 °C (68 °F), unless otherwise stated, individual data may differ. We recommend to keep the belt tension to a practical working minimum to maximize the service life of the belt and machine parts.

Always protect belts from sunlight/UV-radiation, avoid temperatures below 10°C and above 40°C, dust and dirt. Store belts in a cool and dry place and if possible in their original packaging.

For details consult 'Storage and handling instructions' or contact our specialist.

Because of continuous development, the presented data is subject to alteration. This data replaces that included in previous publications. Ammeraal Beltech excludes any liability for the incorrect use of the above stated information. Subject to the general terms and conditions of sale and delivery, as applied by its operating companies, are all activities performed and services rendered by Ammeraal Beltech.