Technical datasheet

PU Linear 32 ATK5-6 Steel NT

Article code: TBPU000267



General information	
Productgroup	Timing belts, PU Linear
Industry segment	General industry; Container & packaging; Paper & print
Main product feature	Low friction tooth side, Low noise, Positive drive, Wear resistant

Belt construction		
Tension member		steel
Material	body	Polyurethane
Surface	tooth side	Polyamide fabric
	back side	Polyurethane


Characteristics	
Food Grade (FG)	no
Antistatic (AS)	no
Oil & Fat resistance	good

Technical data						
Tooth	profile		AT5			
	pitch		5	mm	0.2	in.
Hardness body material	ISO 868		92A	Shore		
Belt thickness			2.7	mm	0.11	in.
Coefficient of friction	tooth side to steel	dynamic	0,3			
		static	0,3			
Operating temperature	continuous	from / to	-10 / 80	°C	14 / 176	°F
Minimum pulley diameter	A) without counter flexing	number of teeth, t1	25			
		d1	38.56	mm	1.52	in.
		d2	60	mm	2.36	in.
	B) with counter flexing	number of teeth, t1	25			
		d1	38.56	mm	1.52	in.
		d2	80	mm	3.15	in.
Belt width			32	mm	1.26	in.
Endless length	minimum		500	mm	19.69	in.
Manufacturing length	standard		100000	mm	328.08	ft.

Reference images

A) without counter flexing





Fabrication

This information on the fabrication options is general, please contact Ammeraal Beltech for the specific fabrication possibilities of the timing belt of your choice.

Open end, prepared splice, spliced endless with mechanical fastener or a pin joint fastener.

Cleats welded or mechanically attached, metal teeth, guides welded or glued.

Covers can be welded, glued, coated or vulkanized onto the back side of the timing belt.

Thermoplastic covers can be embossed. Perforations, lateral and logitudinal slots, lateral and longitudinal profiles.

Additional Information

Tooth profile according to standard: metric ISO 17396, imperial ISO 5296-1, curvilinear ISO 13050, depending on the belt type.

This sheet contains typical values, which apply to a temperature of approx. 20 °C (68 °F), unless otherwise stated, individual data may differ.

Consult our specialists for further information like technical calculations. Instructions regarding joining, storage & maintenance and tracking & tensioning.

Standard belt width [mm]	Allow. tensile load Linear open end & Torque [N]	Allow. tensile load Linear welded endless [N]	Spring force [N]
10	560	280	140000
16	1100	550	280000
25	1700	850	437500
32	2220	1110	560000
50	3500	1750	875000
75	5250	2625	1312500
100.1	7000	3500	1750000

Speed rpm [1/min] Specific tooth force [N/mm] Specific power [W/mm] 0 3.64 0 25 3.572 0.007 50 3.501 0.015 75 3.468 0.022 100 3.424 0.029 150 3.34 0.042 200 3.292 0.055 300 3.192 0.08 400 3.089 0.103 500 2.995 0.125 750 2.807 0.175 1000 2.649 0.221 1250 2.522 0.263 1500 2.416 0.302 1750 2.326 0.339 2000 2.242 0.374 3000 1.995 0.496 4000 1.796 0.599			
25 3.572 0.007 50 3.501 0.015 75 3.468 0.022 100 3.424 0.029 150 3.34 0.042 200 3.292 0.055 300 3.192 0.08 400 3.089 0.103 500 2.995 0.125 750 2.807 0.175 1000 2.649 0.221 1250 2.522 0.263 1500 2.416 0.302 1750 2.326 0.339 2000 2.242 0.374 3000 1.985 0.496	Speed rpm [1/min]		
50 3.501 0.015 75 3.468 0.022 100 3.424 0.029 150 3.34 0.042 200 3.292 0.055 300 3.192 0.08 400 3.089 0.103 500 2.995 0.125 750 2.807 0.175 1000 2.649 0.221 1250 2.522 0.263 1500 2.416 0.302 1750 2.326 0.339 2000 2.242 0.374 3000 1.985 0.496	0	3.64	0
75 3.468 0.022 100 3.424 0.029 150 3.34 0.042 200 3.292 0.055 300 3.192 0.08 400 3.089 0.103 500 2.995 0.125 750 2.807 0.175 1000 2.649 0.221 1250 2.522 0.263 1500 2.416 0.302 1750 2.326 0.339 2000 2.242 0.374 3000 1.985 0.496	25	3.572	0.007
100 3.424 0.029 150 3.34 0.042 200 3.292 0.055 300 3.192 0.08 400 3.089 0.103 500 2.995 0.125 750 2.807 0.175 1000 2.649 0.221 1250 2.522 0.263 1500 2.416 0.302 1750 2.326 0.339 2000 2.242 0.374 3000 1.985 0.496	50	3.501	0.015
150 3.34 0.042 200 3.292 0.055 300 3.192 0.08 400 3.089 0.103 500 2.995 0.125 750 2.807 0.175 1000 2.649 0.221 1250 2.522 0.263 1500 2.416 0.302 1750 2.326 0.339 2000 2.242 0.374 3000 1.985 0.496	75	3.468	0.022
200 3.292 0.055 300 3.192 0.08 400 3.089 0.103 500 2.995 0.125 750 2.807 0.175 1000 2.649 0.221 1250 2.522 0.263 1500 2.416 0.302 1750 2.326 0.339 2000 2.242 0.374 3000 1.985 0.496	100	3.424	0.029
300 3.192 0.08 400 3.089 0.103 500 2.995 0.125 750 2.807 0.175 1000 2.649 0.221 1250 2.522 0.263 1500 2.416 0.302 1750 2.326 0.339 2000 2.242 0.374 3000 1.985 0.496	150	3.34	0.042
400 3.089 0.103 500 2.995 0.125 750 2.807 0.175 1000 2.649 0.221 1250 2.522 0.263 1500 2.416 0.302 1750 2.326 0.339 2000 2.242 0.374 3000 1.985 0.496	200	3.292	0.055
500 2.995 0.125 750 2.807 0.175 1000 2.649 0.221 1250 2.522 0.263 1500 2.416 0.302 1750 2.326 0.339 2000 2.242 0.374 3000 1.985 0.496	300	3.192	0.08
750 2.807 0.175 1000 2.649 0.221 1250 2.522 0.263 1500 2.416 0.302 1750 2.326 0.339 2000 2.242 0.374 3000 1.985 0.496	400	3.089	0.103
1000 2.649 0.221 1250 2.522 0.263 1500 2.416 0.302 1750 2.326 0.339 2000 2.242 0.374 3000 1.985 0.496	500	2.995	0.125
1250 2.522 0.263 1500 2.416 0.302 1750 2.326 0.339 2000 2.242 0.374 3000 1.985 0.496	750	2.807	0.175
1500 2.416 0.302 1750 2.326 0.339 2000 2.242 0.374 3000 1.985 0.496	1000	2.649	0.221
1750 2.326 0.339 2000 2.242 0.374 3000 1.985 0.496	1250	2.522	0.263
2000 2.242 0.374 3000 1.985 0.496	1500	2.416	0.302
3000 1.985 0.496	1750	2.326	0.339
	2000	2.242	0.374
4000 1.796 0.599	3000	1.985	0.496
	4000	1.796	0.599

Standard