




Plastic Modular Belt

Accessories **uni MPB** Type **Flights**



Type	Material & color	H		Link size	Width		Indent both sides	
		mm	in		mm	in	mm	in
Flat	PE-I	5.0	0.20	K600	151.0	5.94	3.0	0.12
	PP-I	10.0	0.39					
	PE-I	25.4	1.00				0.0	0.0
	POM-D PP-I PE-I	50.8	2.00					
		76.2	3.00					
		101.6	4.00					
		101.6	4.00				34.0*	1.34
		152.4	6.00				0.0	0.00


*Indent only in one side.

Depending on height and spacing the use of product supports may influence the backflex radius.


STANDARD

STRAIGHT RUNNING


PITCH 50.8 MM/2.00 IN











Type	Material & color	H		Link size	Width		Indent both sides	
		mm	in		mm	in	mm	in
Non Stick	PP-I <div><div>W</div><div>B</div></div>	76.2	3.00	K600	151.0	5.94	0.0	0.00
	PE-I <div><div>B</div><div>N</div></div>	101.6	4.00					




Type	Material & color	H		Link size	Width		Indent both sides	
		mm	in		mm	in	mm	in
10% Non Stick	PP-I <div><div>W</div><div>B</div></div>	50.8	2.00	K600	151.0	5.94	0.0	0.00
	PE-I <div><div>B</div><div>N</div></div>	76.2	3.00					
		101.6	4.00					






Type	Material & color	H		B		Link size	Width		Indent both sides	
		mm	in	mm	in		mm	in	mm	in
Bent	PP-I  	76.2	3.00	52.0	2.05	K600	151.0	5.94	0.0	0.00
	PP-I   PE 	101.6	4.00							
	PP-I  	152.4	6.00							






Type	Material & color	H		B		Link size	Width		Indent both sides	
		mm	in	mm	in		mm	in	mm	in
Cupped	PP-I <div>W</div>	76.2	3.00	52.0	2.05	K600	151.0	5.94	0.0	0.00
		101.6	4.00							
		152.4	6.00							




Type	Material & color	H		B		Link size	Width		Indent both sides	
		mm	in	mm	in		mm	in	mm	in
Cupped drain	PP-I 	76.2	3.00	52.0	2.05	K600	151.0	5.94	0.0	0.00
		101.6	4.00							
		152.4	6.00							



Type	Material & color	H		Link size	Width		Indent both sides	
		mm	in		mm	in	mm	in
Flat 20%	PE-I 	5.0	0.20	K600	151.0	5.94	3.0	0.12




Type	Material & color	H		Link size	Width		Indent both sides	
		mm	in		mm	in	mm	in
Flat 22%	PE-I 	3.0	0.12	K600	151.0	5.94	3.0	0.12



Synthetic Belts



Endless Woven Belts



Modular Belts



Engineered Belts



Homogeneous Belts



Fabrication & Service

Expert advice and quality solutions
for all your belting needs.
ammeraalbeltech.com

Ammeraal Beltech Modular A/S
Hjulmagervej 21
DK-7100 Vejle
T +31 7572 3100

ammega.com

This information is subject to alteration due to continuous development. Ammeraal Beltech will not be held liable for the incorrect use of the above stated information. This information replaces previous information. All activities performed and services rendered by Ammeraal Beltech are subject to general terms and conditions of sale and delivery, as applied by its operating companies.