




# Plastic Modular Belt

## Accessories **uni MPB** Type **Flights**



Type	Material & color	H		Link size	Width		Indent both sides		
		mm	in		mm	in	mm	in	
Flat	PE-I	5.0	0.20	K600	151.0	5.94	3.0	0.12	
	PP-I	10.0	0.39						
	PE-I								
	POM-D	25.4	1.00				0.0	0.0	
		50.8	2.00						
		76.2	3.00						
		PP-I	101.6						4.00
		PE-I							
101.6	4.00	34.0*	1.34						
152.4	6.00	0.0	0.00						



\*Indent only in one side.

Depending on height and spacing the use of product supports may influence the backflex radius.


STANDARD

STRAIGHT RUNNING


PITCH 50.8 MM/2.00 IN




Type	Material & color	H		Link size	Width		Indent both sides	
		mm	in		mm	in	mm	in
Non Stick	PP-I <input type="checkbox"/> W <input checked="" type="checkbox"/> B	76.2	3.00	K600	151.0	5.94	0.0	0.00
	PE-I <input checked="" type="checkbox"/> B <input checked="" type="checkbox"/> N	101.6	4.00					




Type	Material & color	H		Link size	Width		Indent both sides	
		mm	in		mm	in	mm	in
10% Non Stick	PP-I <input type="checkbox"/> W <input checked="" type="checkbox"/> B	50.8	2.00	K600	151.0	5.94	0.0	0.00
	PE-I <input checked="" type="checkbox"/> B <input checked="" type="checkbox"/> N	76.2	3.00					
		101.6	4.00					





Type	Material & color	H		B		Link size	Width		Indent both sides	
		mm	in	mm	in		mm	in	mm	in
Bent	PP-I <span style="border: 1px solid black; padding: 2px;">W</span> <span style="background-color: #0056b3; color: white; padding: 2px;">B</span>	76.2	3.00	52.0	2.05	K600	151.0	5.94	0.0	0.00
	PP-I <span style="border: 1px solid black; padding: 2px;">W</span> <span style="background-color: #0056b3; color: white; padding: 2px;">B</span>	101.6	4.00							
	PE <span style="border: 1px solid black; padding: 2px;">N</span>									
	PP-I <span style="border: 1px solid black; padding: 2px;">W</span> <span style="background-color: #0056b3; color: white; padding: 2px;">B</span>	152.4	6.00							





Type	Material & color	H		B		Link size	Width		Indent both sides	
		mm	in	mm	in		mm	in	mm	in
Cupped	PP-I <span style="border: 1px solid black; padding: 2px;">W</span>	76.2	3.00	52.0	2.05	K600	151.0	5.94	0.0	0.00
		101.6	4.00							
		152.4	6.00							



Type	Material & color	H		B		Link size	Width		Indent both sides	
		mm	in	mm	in		mm	in	mm	in
Cupped drain	PP-I <span style="border: 1px solid black; padding: 2px;">W</span>	76.2	3.00	52.0	2.05	K600	151.0	5.94	0.0	0.00
		101.6	4.00							
		152.4	6.00							



Type	Material & color	H		Link size	Width		Indent both sides	
		mm	in		mm	in	mm	in
Flat 20%	PE-I	5.0	0.20	K600	151.0	5.94	3.0	0.12




Type	Material & color	H		Link size	Width		Indent both sides	
		mm	in		mm	in	mm	in
Flat 22%	PE-I	3.0	0.12	K600	151.0	5.94	3.0	0.12



Conveyor Belts




Seamless Belts



Modular Belts



Timing Belts



Transmission Belts



Fabrication & service

Expert advice, quality solutions and local service for all your belting needs  
[www.ammeraalbeltech.com](http://www.ammeraalbeltech.com)

**Ammeraal Beltech Modular A/S**  
 Hjulmagervej 21  
 DK-7100 Vejle

T +45 7572 3100  
 F +45 7572 3348  
 admin@unichains.com  
 www.unichains.com

This information is subject to alteration due to continuous development. Ammeraal Beltech will not be held liable for the incorrect use of the above stated information. This information replaces previous information. All activities performed and services rendered by Ammeraal Beltech are subject to general terms and conditions of sale and delivery, as applied by its operating companies.