




Cooling Tunnel Belts Ropanyl series

Belts for Efficient Chocolate Tempering

Thermoplastic polyurethane belts for cooling tunnels in the confectionery industry

The aim of this range is to ensure accurate cooling/tempering to ensure the highest levels of product quality (taste and texture) and appearance (shape and belt embossing on the product's underside).

The Ropanyl Series exceeds expectations for thermal conductivity, tracking, flexibility and belt finish surface.



Features	Benefits
Extremely smooth glossy finish	Top-quality product finish, without belt surface marks
High lateral fabric stability	Reliable tracking, no curling edges
Thin belts	High thermal conductivity
Superior design and materials	Suitable for fixed knife edges (from 5 mm diameter)
Food Grade	Complies to FDA, EC 1935/2004 and EU 10/2011 standards, and supports your HACCP programmes, too
Wide range of profiles, including custom-made	Delivers desired chocolate finish from a range of common profiles, including Charlie; negative and positive pyramid – meets all embossing needs (custom profiles and logos possible)
Non-stick properties	Better product quality, plus cost savings through easy cleanability, less waste and reduced downtime
Available in white, light blue, and caramel colours	Enhanced Food Safety through best contrast colour between product and belt surface
Scraper friendly	Highly cleanable belt surfaces for better product quality
On site splicing	State-of-the-art splice finishing for glossy, matt or profiled belt surfaces alike
High fabric body strength values	Suitable for extra-long/wide tunnels

The thin, light Ropanyl belt design ensures high thermal conductivity while lowering energy consumption.

For enhanced hygiene, antimicrobial Ropanyl light blue cooling tunnel belt types are available. These belts have a proven track record of safety and efficiency.

Matt finish prevents product slide and non-stick properties guarantee easy scraper cleaning.



Ammeraal Beltech member European Hygienic Engineering & Design Group




Food Grade belts comply with EC 1935/2004, EU 10/2011 and FDA standards


Profiles

The thermoplastic Ropanyl covers may be embossed to transfer the required pattern or company logo into the chocolate product surface. Besides standard profiles, many other profiles are available.


Ammeraal Beltech recommends matt belt finish [description M1] surface with high non-stick properties for secondary cooling and tempering processes for semi-finish products, and glossy belt surface for primary or single-stage cooling tunnels for high-quality smooth finish products.




A21 Fine Diamond profile
Colour: light blue



A90 Thousand Dots profile
Colour: white



A58 Charlie profile,
Colour: caramel



P29 Positive Rhomboid profile
Colour: caramel

**Ammeraal Beltech Ropanyl belt series
state of the art of chocolate tempering**

General Technical Data – Ropanyl Cooling Belts							
Article code	Belt description	Belt top finish	Number of plies	Belt thickness (mm)	Min knife edge diameter (mm)	Max available width (mm)	
579800	Ropanyl EM 3/1 00+02 white AS FG	Glossy	1	0.8	6	3000	
579870	Ropanyl EM 3/1 00+02 white FG NL	Glossy	1	0.8	6	2100	
579809	Ropanyl EM 3/1 00+02 white M1 AS FG	M1 fine matt	1	0.8	6	3000	
579780	Ropanyl EM 3/1 00+02 light blue AS FG AM	Glossy	1	0.8	6	3000	
579789	Ropanyl EM 3/1 00+02 light blue M1 AS FG AM	M1 fine matt	1	0.8	6	3000	
579803	Ropanyl EM 3/1 00+A58 white AS FG	A58 Charlie	1	0.8	6	2100	
579823	Ropanyl EM 3/1 00+A58 caramel FG NL	A58 Charlie	1	0.8	6	2100	
579825	Ropanyl EM 3/1 00+P29 caramel FG NL	P29 Positive Rhomboid	1	0.8	6	2100	
579890	Ropanyl EM05 6/1 00+02 white AS FG	Glossy	1	1.1	10	3000	
579790	Ropanyl EM05 6/1 00+02 light blue AS FG AM	Glossy	1	1.1	10	3000	
579833	Ropanyl EM05 6/1 00+A58 caramel AS FG NL	A58 Charlie	1	1.1	10	2100	
579898	Ropanyl EM05 6/1 00+P29 white AS FG	P29 Positive Rhomboid	1	1.1	10	3000	
578260	Ropanyl ESM 5/2 00 + 015 white AS FG	Glossy	2	1.3	5	2000	
578270	Ropanyl ESM 5/2 00 + 015 light blue AS FG AM	Glossy	2	1.3	5	2000	
578439	Ropanyl ESM 5/2 00+015 white M1 AS FG	M1 fine matt	2	1.3	5	3000	
578449	Ropanyl ESM 5/2 00+015 light blue M1 AS FG AM	M1 fine matt	2	1.3	5	3000	

AM = Antimicrobial. AS = Anti-Static. FG = Food Grade (EC, EU and FDA). NL = No Logo. EM= lateral stable. EM05 = extra lateral stable

Want to know more? Contact us

Get in touch with your nearest Ammeraal Beltech sales office or visit www.ammeraalbeltech.com to locate your local service centre, and we'll be glad to help.

Local Contacts

Australia

T +61 3 9555 7922
info-au@ammeraalbeltech.com
www.rydell.com.au

Austria

T +43 171728 133
info-de@ammeraalbeltech.com
www.ammeraalbeltech.at

Belgium

T +32 2 466 03 00
info-be@ammeraalbeltech.com
www.ammeraalbeltech.be

Canada

T +1 905 890 1311
info-ca@ammeraalbeltech.com
www.ammeraalbeltech.com

Chile

T +56 2 233 12900
info-cl@ammeraalbeltech.com
www.ammeraalbeltech.cl

China

T +86 512 8287 2709
info-cn@ammeraalbeltech.com
www.ammeraalbeltech.com.cn

Czech Republic

T +420 567 117 211
info-cz@ammeraalbeltech.com
www.ammeraalbeltech.cz

Denmark

T + 45 7572 3100
info-dk@ammeraalbeltech.com
www.unichains.com

Finland

T +358 207 911 400
info-fi@ammeraalbeltech.com
www.ammeraalbeltech.fi

France

T +33 3 20 90 36 00
info-fr@ammeraalbeltech.com
www.ammeraalbeltech.fr

Germany

T +49 4152 937-0
info-de@ammeraalbeltech.com
www.ammeraalbeltech.de

Hungary

T +36 30 311 6099
info-hu@ammeraalbeltech.com
www.ammeraalbeltech.hu

India

T +91 44 265 34 244
info-in@ammeraalbeltech.com
www.ammeraalbeltech.com

Italy

T +39 051 660 60 06
info-it@ammeraalbeltech.com
www.ammeraalbeltech.it

Luxembourg

T +352 26 48 38 56
info-lu@ammeraalbeltech.com
www.ammeraal-beltech.lu

Malaysia

T +60 3 806 188 49
info-my@ammeraalbeltech.com
www.ammeraalbeltech.com

Netherlands

T +31 72 57 51212
info-nl@ammeraalbeltech.com
www.ammeraalbeltech.nl

Poland

T +48 32 44 77 179
info-pl@ammeraalbeltech.com
www.ammeraalbeltech.com

Portugal

T +351 22 947 94 40
info-pt@ammeraalbeltech.com
www.ammeraalbeltech.pt

Singapore

T +65 62739767
info-sg@ammeraalbeltech.com
www.ammeraalbeltech.com

Slovakia

T +421 2 55648541-2
info-sk@ammeraalbeltech.com
www.ammeraalbeltech.sk

South Korea

T +82 31 448 3613-7
info-kr@ammeraalbeltech.com
www.ammeraalbeltech.co.kr

Spain

T +34 93 718 3054
info-es@ammeraalbeltech.com
www.ammeraalbeltech.es

Sweden

T +46 44 780 3010
info-se@ammeraalbeltech.com
www.ammeraalbeltech.se

Switzerland

T +41 55 2253 535
info-ch@ammeraalbeltech.com
www.ammeraalbeltech.ch

Thailand

T +66 2 902 2604-13
info-th@ammeraalbeltech.com
www.ammeraalbeltech.com

United Kingdom

T +44 1992 500550
info-uk@ammeraalbeltech.com
www.ammeraalbeltech.co.uk

United States

T +1 847 673 6720
info-us@ammeraalbeltech.com
www.ammeraalbeltech.com

Vietnam

T +84 8 376 562 05
info-vn@ammeraalbeltech.com
www.ammeraalbeltech.com.vn


Global Headquarters:

Ammeraal Beltech Holding B.V.
P.O. Box 38
1700 AA Heerhugowaard
The Netherlands

T +31 (0)72 575 1212
F +31 (0)72 571 6455


info@ammeraalbeltech.com
www.ammeraalbeltech.com

Expert advice, quality solutions
and local service
for all your belting needs



Conveyor Belts

Timing Belts



Seamless Belts

Transmission Belts



Modular Belts

Fabrication & service

... and 150 more service contact points on www.ammeraalbeltech.com