


# Profiles

























## Overview Standard Profiles































































On the basis of its many years interaction with engineers and end users, Ammeraal Beltech has developed a comprehensive range of profiled belts, capable of meeting all the requirements of industry with respect to efficient product handling. Practically every Ammeraal Beltech belt can be coated with one of over 80 standard available profiles, while specific requirements can be met with custom engineered solutions.































If necessary, new profiles are developed in close cooperation with the customer. Many of today's confectionery products for instance are profiled with brand names using customised Ammeraal Beltech belts.































To give you an impression of the practically unlimited possibilities that exist for improving your product handling, our more successful profiled belts can be found on the following pages.































	<b>A2 Fine rectangle</b>	<b>A5 Cone</b>	<b>A7 Lateral rope</b>
			
			
	<b>industry/application:</b> confectionery, meat industry	<b>industry/application:</b> meat industry, magnetic elevators	<b>industry/application:</b> canning industry
<b>profile depth:</b> 0.2 mm	<b>profile depth:</b> 2.6 mm	<b>profile depth:</b> 1.9 mm	
<b>maximum width:</b> 2200 mm	<b>maximum width:</b> 1950 mm	<b>maximum width:</b> 1150 mm	
<b>further information:</b> -	<b>further information:</b> -	<b>further information:</b> pitch 16 mm, ribs square, 2 mm wide	
	<b>A9 Coin</b>	<b>A11 Rib</b>	<b>A14 Weave</b>
			
			
	<b>industry/application:</b> meat industry	<b>industry/application:</b> drum lagging, tracking strips	<b>industry/application:</b> packaging, bakeries
<b>profile depth:</b> 3.4 mm	<b>profile depth:</b> 2.1 mm	<b>profile depth:</b> 0.4 mm	
<b>maximum width:</b> 1150 mm	<b>maximum width:</b> 1150 mm	<b>maximum width:</b> 2850 mm	
<b>further information:</b> diameter 16 mm, pitch 30 mm	<b>further information:</b> pitch 7.5 mm, ribs square, width 2.5 mm	<b>further information:</b> pitch 4.5 mm, diagonal impression	
	<b>A15 Nipple</b>	<b>A16 Nipple (cone shape)</b>	<b>A17 Nipple 4.5 mm</b>
			
			
	<b>industry/application:</b> drum lagging, laundries, packaging, magnetic elevators	<b>industry/application:</b> tobacco industry, magnetic elevators	<b>industry/application:</b> laundry, metal polishing, harvesting
<b>profile depth:</b> 1.0 mm	<b>profile depth:</b> 1.5 mm	<b>profile depth:</b> 4.5 mm	
<b>maximum width:</b> 2150 mm	<b>maximum width:</b> 1110 mm	<b>maximum width:</b> 1120 mm	
<b>further information:</b> diameter 2 mm	<b>further information:</b> diameter 2.5 mm, pitch 9 mm	<b>further information:</b> diameter 6.0 mm, pitch 13 mm	
	<b>A20 Diamond 65 mm</b>	<b>A21 Fine diamond</b>	<b>A22 Sandblast (medium)</b>
			
			
	<b>industry/application:</b> airport check-in	<b>industry/application:</b> confectionery, bakery industry	<b>industry/application:</b> treadmills, drum lagging
<b>profile depth:</b> 4.5 mm	<b>profile depth:</b> 0.2 mm	<b>profile depth:</b> -	
<b>maximum width:</b> 2200 mm	<b>maximum width:</b> 2200 mm	<b>maximum width:</b> 3000 mm	
<b>further information:</b> diagonal 65x65 mm	<b>further information:</b> diamonds 2.5 x 1.5 mm	<b>further information:</b> -	

<p><b>industry/application:</b></p> <p><b>profile depth:</b></p> <p><b>maximum width:</b></p> <p><b>further information:</b></p>	<p><b>A24 Herringbone</b></p>   <p>fish industry, textile industry</p> <p>2.3 mm</p> <p>950 mm</p> <p>pitch 9 mm</p>	<p><b>A25 Cocks comb</b></p>   <p>packaging industry</p> <p>4.3 mm</p> <p>1150 mm</p> <p>-</p>	<p><b>A26 Pyramid</b></p>   <p>marble and granite industry</p> <p>1.9 mm</p> <p>1100 mm</p> <p>-</p>
<p><b>industry/application:</b></p> <p><b>profile depth:</b></p> <p><b>maximum width:</b></p> <p><b>further information:</b></p>	<p><b>A27 Supernipple</b></p>   <p>inclined applications</p> <p>3.0 mm</p> <p>1060 mm</p> <p>diameter 2.0 mm</p>	<p><b>A30 Chequer</b></p>   <p>airport check-in (small angle of inclination)</p> <p>1.7 mm</p> <p>1070 mm</p> <p>-</p>	<p><b>A31 Longitudinal</b></p>   <p>vegetable sorting</p> <p>3.2 mm</p> <p>1100 mm</p> <p>pitch 20 mm, ribs semi-round, 7 mm wide</p>
<p><b>industry/application:</b></p> <p><b>profile depth:</b></p> <p><b>maximum width:</b></p> <p><b>further information:</b></p>	<p><b>A32 Fine Rib (small)</b></p>   <p>general inclined transport</p> <p>0.8 mm</p> <p>2200 mm</p> <p>pitch 1.5 mm, longitudinal profile</p>	<p><b>A34 Supergrip</b></p>   <p>inclined applications</p> <p>2.4 mm</p> <p>2070 mm</p> <p>-</p>	<p><b>A42 Supergrip (wave)</b></p>   <p>inclined applications</p> <p>2.4 mm</p> <p>2100 mm</p> <p>waving, low noise execution</p>
<p><b>industry/application:</b></p> <p><b>profile depth:</b></p> <p><b>maximum width:</b></p> <p><b>further information:</b></p>	<p><b>A44 Interrib, longitudinal profile</b></p>   <p>tobacco industry</p> <p>1.8 mm</p> <p>2200 mm</p> <p>ribs 32 x 4 mm, pitch l = 58 mm, w = 20mm</p>	<p><b>A45 Bermuda</b></p>   <p>fish industry</p> <p>0.7 mm</p> <p>1150 mm</p> <p>pitch 4 mm</p>	<p><b>A46 Button</b></p>   <p>tobacco industry</p> <p>2.0 mm</p> <p>1150 mm</p> <p>diameter 9 mm, pitch l = 35 mm, w = 19 mm</p>
<p><b>industry/application:</b></p> <p><b>profile depth:</b></p> <p><b>maximum width:</b></p> <p><b>further information:</b></p>	<p><b>A47 AmWeave</b></p>   <p>inclined applications</p> <p>-</p> <p>2200 mm</p> <p>low noise execution</p>	<p><b>A50 Wavegrip</b></p>   <p>small inclined applications, marble polishing</p> <p>1.0 mm</p> <p>2100 mm</p> <p>waving, low noise execution</p>	<p><b>A66 Supersonic</b></p>   <p>airport, check-in</p> <p>5.0 mm</p> <p>1950 mm</p> <p>pitch length = 185 mm, pitch width = 150 mm</p>

	<b>A79 Diamond 19 mm</b>	<b>F1 Light fabric emboss</b>	<b>F2 Kleen emboss</b>
			
			
	<b>industry/application:</b> wood sanding, metal grinding	food, printing, packaging, reduce friction	food, printing, packaging, release and incline
<b>profile depth:</b> 3.5 mm	0.1 mm	0.2 mm	
<b>maximum width:</b> 2000 mm	2000 mm	2000 mm	
<b>further information:</b> pitch 19x19 mm, diagonal	pitch 0.8 mm	pitch 1.5 mm	
	<b>F3 Low friction emboss</b>	<b>P2 Negative rhomboid</b>	<b>P3 Negative rectangle</b>
			
			
	<b>industry/application:</b> food, printing, packaging, cooling tunnel	confectionery, bakery industry	general application
<b>profile depth:</b> -	0.4 mm	-	
<b>maximum width:</b> 2000 mm	1500 mm	1600 mm	
<b>further information:</b> pitch 2.0 mm	diamonds 3 x 2 mm	-	
	<b>P4 Longitudinal ribs 25 mm</b>	<b>P5 Fabric structure</b>	<b>P6 Grip face</b>
			
			
	<b>industry/application:</b> agriculture, horticulture	packaging, bakery industry	inclined applications
<b>profile depth:</b> 4.0 mm	0.4 mm	3.5 mm	
<b>maximum width:</b> 1500 mm	2000 mm	2000 mm	
<b>further information:</b> pitch 25 mm	pitch 4.5 mm, diagonal impres- sion	-	
	<b>P7 Mini-grip</b>	<b>P8 Small longitudinal ribs</b>	<b>P9 Longitudinal ribs 5 mm</b>
			
			
	<b>industry/application:</b> packaging, bakery and tobacco industry	general inclined transport	grip in wet circumstances
<b>profile depth:</b> 1.0 mm	0.6 mm	3.0 mm	
<b>maximum width:</b> 1600 mm	3000 mm	1500 mm	
<b>further information:</b> straight	pitch 1.5 mm	pitch 5 mm	
	<b>P10 Treadmills</b>	<b>P11 Transverse ribs, large</b>	<b>P12 Triangle transverse ribs</b>
			
			
	<b>industry/application:</b> treadmills	drum lagging, tracking strips	fish industry
<b>profile depth:</b> -	2.7 mm	1.5 mm	
<b>maximum width:</b> 3200 mm	1500 mm	1600 mm	
<b>further information:</b> -	pitch 8 mm, ribs square, width 2.5 mm	pitch 3.5 mm	

	<b>P13 Sawtooth (bigger pitch)</b>  	<b>P14 Longitudinal ribs 50 mm</b>  	<b>P17 Fine fabric structure</b>  
<b>industry/application:</b>	meat, fish, poultry industry	wood industry	general application
<b>profile depth:</b>	1.8 mm	3.0 mm	-
<b>maximum width:</b>	1600 mm	1500 mm	3000 mm
<b>further information:</b>	pitch 9 mm	pitch 50 mm	-
	<b>P18 Medium fabric structure</b>  	<b>P19 Stipple top (small nipples)</b>  	<b>P20 Big nipple top 27 mm</b>  
<b>industry/application:</b>	general application	drum lagging, laundries, packaging, magnetic elevators	tobacco industry
<b>profile depth:</b>	-	1.0 mm	2.0 mm
<b>maximum width:</b>	3000 mm	1500 mm	1500 mm
<b>further information:</b>	-	diameter 1.5 mm	diameter 9 mm, pitch l = 27 mm, w = 10 mm
	<b>P21 Big nipple top 35 mm</b>  	<b>P22 Sand pattern (smooth)</b>  	<b>P23 Random pattern (boomerang)</b>  
<b>industry/application:</b>	tobacco industry	treadmills, drum lagging	fish industry
<b>profile depth:</b>	2.0 mm	-	1.0 mm
<b>maximum width:</b>	1500 mm	1600 mm	1500 mm
<b>further information:</b>	diameter 9 mm, pitch 35 mm	-	-
	<b>P24 Basket weave</b>  	<b>P25 Ramps</b>  	<b>P26 Square sander</b>  
<b>industry/application:</b>	inclined applications	marble polishing, ceramic grinding, mail sorting	wood sanding
<b>profile depth:</b>	-	5.0 mm	3.0 mm
<b>maximum width:</b>	3000 mm	3000 mm	1500 mm
<b>further information:</b>	-	-	pitch 18 x 18 mm, rectangular
	<b>P27 Herringbone (grooved)</b>  	<b>P29 Positive rhomboid</b>  	<b>P31 Reversed ramp profile</b>  
<b>industry/application:</b>	fish industry	confectionery industry	marble industry
<b>profile depth:</b>	2.5 mm	-	5.0 mm
<b>maximum width:</b>	1600 mm	1500 mm	3000 mm
<b>further information:</b>	pitch 9 mm	-	-

	<b>P32 Pillow</b>	<b>P34 Oval studs (tobacco)</b>	<b>P35 Spots (round shape)</b>
			
			
	<b>industry/application:</b> tobacco industry	<b>industry/application:</b> tobacco industry	<b>industry/application:</b> tobacco industry, magnetic elevators
<b>profile depth:</b> 2.0 mm	<b>profile depth:</b> 1.5 mm	<b>profile depth:</b> 1.1 mm	
<b>maximum width:</b> 2000 mm	<b>maximum width:</b> 1600 mm	<b>maximum width:</b> 1600 mm	
<b>further information:</b> -	<b>further information:</b> ribs 19 x 4 mm, pitch l = 30 mm, w = 14 mm	<b>further information:</b> diameter 2.5 mm, pitch 9 mm	
	<b>P36 Big square (airport)</b>	<b>P38 Very fine fabric structure</b>	<b>P40 Curved cleat</b>
			
			
	<b>industry/application:</b> airport check-in	<b>industry/application:</b> paper and printing industry	<b>industry/application:</b> agriculture, ceramic industry
<b>profile depth:</b> 4.5 mm	<b>profile depth:</b> -	<b>profile depth:</b> 13 mm	
<b>maximum width:</b> 1500 mm	<b>maximum width:</b> 2000 mm	<b>maximum width:</b> -	
<b>further information:</b> diagonal 70 x 70 mm	<b>further information:</b> -	<b>further information:</b> pitch 200 mm, standard width 400, 600 and 800 mm	
	<b>P41 Transversal ribs (spaghetti)</b>	<b>P45 Rough top (bigger nipples)</b>	<b>P47 Inverted diamond</b>
			
			
	<b>industry/application:</b> inclined transport, food	<b>industry/application:</b> inclined transport, heavy applications	<b>industry/application:</b> confectionary industry
<b>profile depth:</b> 3.0 mm	<b>profile depth:</b> 3.5 mm	<b>profile depth:</b> -	
<b>maximum width:</b> 1500 mm	<b>maximum width:</b> 1500 mm	<b>maximum width:</b> 1600 mm	
<b>further information:</b> pitch 20 mm	<b>further information:</b> -	<b>further information:</b> -	
	<b>P48 Longitudinal groove</b>	<b>P49 Big nipple top 65 mm</b>	<b>P50 Grip face (wave)</b>
			
			
	<b>industry/application:</b> paper & print, cardboard	<b>industry/application:</b> tobacco, inclined conveying (PVC)	<b>industry/application:</b> inclined applications
<b>profile depth:</b> 1.5 mm	<b>profile depth:</b> 2.6 mm	<b>profile depth:</b> 3.5 mm	
<b>maximum width:</b> 2000 mm	<b>maximum width:</b> 1600 mm	<b>maximum width:</b> 2000 mm	
<b>further information:</b> -	<b>further information:</b> pitch 65 mm (belt direction), pitch 75 mm	<b>further information:</b> low noise execution	
	<b>P52 Longitudinal ribs 25 mm</b>	<b>P54 Fine fabric T-structure</b>	<b>C5 Light fabric</b>
			
			
	<b>industry/application:</b> agriculture, horticulture	<b>industry/application:</b> Drum lagging	<b>industry/application:</b> general application, tire industry
<b>profile depth:</b> 4.0 mm	<b>profile depth:</b> -	<b>profile depth:</b> -	
<b>maximum width:</b> 3000 mm	<b>maximum width:</b> 3000 mm	<b>maximum width:</b> 1829 mm	
<b>further information:</b> pitch 25 mm	<b>further information:</b> -	<b>further information:</b> -	

	<b>C37 Supergrip</b>	<b>C46 Pyramid top</b>	<b>C52 Diamond impression</b>
			
			
	<b>industry/application:</b> universal	food, tobacco industry	wood sanding, airports, logistics
<b>profile depth:</b> 3.5 mm	2.1 mm	4.0 mm	
<b>maximum width:</b> 1829 mm	1524 mm	1829 mm	
<b>further information:</b> -	pitch 4 x 4 mm	diamonds 28 x 9 mm	
	<b>C57 Neatgrip</b>	<b>C68 Chemclimb</b>	<b>C69 Meatecleat</b>
			
			
	<b>industry/application:</b> treadmills, bakeries, dough handling	wet inclinations	meat, poultry, seafood
<b>profile depth:</b> 1.2 mm	4.0 mm	2.8 mm	
<b>maximum width:</b> 1829 mm	1524 mm	1829 mm	
<b>further information:</b> -	ovals 13 x 4 mm	pitch 25 mm	
	<b>C71 Chemridge</b>	<b>C72 Sandgrit (rough)</b>	<b>C73 Light Supergrip</b>
			
			
	<b>industry/application:</b> general inclined transport	drum lagging, textile industry - non-slip tape	textile industry - non-slip tape
<b>profile depth:</b> 4.0 mm	-	2.4 mm	
<b>maximum width:</b> 1524 mm	1524 mm	1524 mm	
<b>further information:</b> pitch 13 mm	-	pitch 6 mm	
	<b>A8-P15 Pepita</b>	<b>A13-P28 Sawtooth</b>	<b>A18-P1 Fine square pyramid</b>
			
			
	<b>industry/application:</b> inclined transport in clean circumstances	meat, fish, poultry industry	bakery industry, rubber industry
<b>profile depth:</b> -	2.0 mm	0.5 mm	
<b>maximum width:</b> 2200 mm	2000 mm	3000 mm	
<b>further information:</b> -	pitch 7 mm	pitch 18x18mm, diagonal	
	<b>A54-P33 Marathon</b>	<b>A58-P39 Charlie</b>	<b>A72-P72</b>
			
			
	<b>industry/application:</b> treadmills	confectionery industry	people conveying
<b>profile depth:</b> -	-	3.0 mm	
<b>maximum width:</b> 2000 mm	2000 mm	1600 mm	
<b>further information:</b> -	-	diameter 16 mm	

## Local Contacts

... and 150 more service contact points  
at [ammeraalbeltech.com](http://ammeraalbeltech.com)

### Argentina

T +54 11 4218 2906  
info-ar@ammeraalbeltech.com

### Australia

T +61 3 8780 6000  
info-au@ammeraalbeltech.com

### Austria

T +43 171728 133  
info-de@ammeraalbeltech.com

### Belgium

T +32 2 466 03 00  
info-be@ammeraalbeltech.com

### Canada

T +1 905 890 1311  
info-ca@ammeraalbeltech.com

### Chile

T +56 2 233 12900  
info-cl@ammeraalbeltech.com

### China

T +86 512 8287 2709  
info-cn@ammeraalbeltech.com

### Colombia

T +57 893 9890  
info-co@ammeraalbeltech.com

### Czech Republic

T +420 567 117 211  
info-cz@ammeraalbeltech.com

### Denmark

T + 45 7572 3100  
info-dk@ammeraalbeltech.com

### Finland

T +358 207 911 400  
info-fi@ammeraalbeltech.com

### France

T +33 3 20 90 36 00  
info-fr@ammeraalbeltech.com

### Germany

T +49 4152 937-0  
info-de@ammeraalbeltech.com

### Hungary

T +36 30 311 6099  
info-hu@ammeraalbeltech.com

### India

T +91 44 265 34 244  
info-in@ammeraalbeltech.com

### Israel

T +972 4 6371485  
info-il@ammeraalbeltech.com

### Italy

T +39 051 660 60 06  
info-it@ammeraalbeltech.com

### Japan

T +81 52 433 7400  
info-jp@ammeraalbeltech.com

### Luxembourg

T +352 26 48 38 56  
info-lu@ammeraalbeltech.com

### Malaysia

T +60 3 806 188 49  
info-my@ammeraalbeltech.com

### Mexico

T +52 55 5341 8131  
info-mx@ammeraalbeltech.com

### Netherlands

T +31 72 57 51212  
info-nl@ammeraalbeltech.com

### Poland

T +48 32 44 77 179  
info-pl@ammeraalbeltech.com

### Portugal

T +351 22 947 94 40  
info-pt@ammeraalbeltech.com

### Singapore

T +65 62739767  
info-sg@ammeraalbeltech.com

### Slovakia

T +421 2 55648541-2  
info-sk@ammeraalbeltech.com

### South Korea

T +82 31 448 3613-7  
info-kr@ammeraalbeltech.com

### Spain

T +34 93 718 3054  
info-es@ammeraalbeltech.com

### Sweden

T +46 44 780 3010  
info-se@ammeraalbeltech.com

### Switzerland

T +41 55 2253 535  
info-ch@ammeraalbeltech.com

### Thailand

T +66 2 902 2604-13  
info-th@ammeraalbeltech.com

### Turkey

T +90 232 877 0700  
info-tr@ammeraalbeltech.com

### United Kingdom

T +44 1992 500550  
info-uk@ammeraalbeltech.com


### United States

T +1 847 673 6720  
info-us@ammeraalbeltech.com


### Vietnam

T +84 8 376 562 05  
info-vn@ammeraalbeltech.com


**Expert advice, quality solutions  
and local service  
for all your belting needs**



Synthetic Belts




Engineered Belts



Endless Woven Belts



Homogeneous Belts



Modular Belts



Fabrication & Service

### General contact information:

**Ammeraal Beltech**  
P.O. Box 38  
1700 AA Heerhugowaard  
The Netherlands

T +31 (0)72 575 1212  
info@ammeraalbeltech.com

**ammera.com**