



Roll Covering Range

**Innovation and
Service in Belting**

Nomenclature explanation

Nomenclature							
	NI	-	P22	White	FG	/	2.5 mm
	NR	-	C72	White			
1	Material of top cover						
2	Finish top side						
3	Colour top side						
4	Additional(s)						
5	Special characteristics						

Material of top cover

Abbreviation	Material
NR	Natural rubber
PA	Polyvinylchloride, antistatic properties
SI	Silicone rubber
PF	Polyvinylchloride, Oil & fat resistant
PV	Polyvinylchloride
NI	Nitrile rubber

Additional(s)

Various additional(s) can be added to the nomenclature to highlight some features of the article, like one of the following:

Abbreviation	Description
FG	Food Grade
UV	UV resistant

Special characteristics

Characters which are used for other additional information are positioned behind the "/".
To find out more details of a roll covering type, always refer to the specific roll covering data sheet.
Some examples of used abbreviations:

Abbreviation	Description
2.5 mm	Specific thickness
DS	Drive Spreader

Roll Covering Range

Technical properties

Article number	Article number self adhesive	Description	Thickness [mm]	Top finish	Manufacturing width [mm]	Hardness [°Shore A]	Oil and fat resistant	Food Grade
RCNI830015	RCNI840015	NI - P19 White FG	2.2	P19 Stipple top	1000	55	yes	yes
RCNI830025	RCNI840025	NI - P22 beige FG	1.7	P22 Sand pattern (smooth)	1000	55	yes	yes
RCNI830035	RCNI840035	NI - P22 white FG	1.7	P22 Sand pattern (smooth)	1000	55	yes	yes
RCNI830045	RCNI840045	NI - P22 white FG / 2.5 mm	2.5	P22 Sand pattern (smooth)	1000	55	yes	yes
RCNI830055	RCNI840055	NI - P22 beige FG / B	2.1	P22 Sand pattern (smooth)	1000	55	yes	yes
RCNR830075	RCNR840075	NR - 00 beige	1.7	smooth	1000	55	yes	
RCNR830085	RCNR840085	NR - P18 grey	2.9	P18 Medium fabric	1200	55	yes	
RCNR830095	RCNR840095	NR - P19 white	1.5	P19 Stipple top	1000	55	yes	
RCNR830105	RCNR840105	NR - P22 beige	1.7	P22 Sand pattern (smooth)	1000	55	yes	
RCNR830125	RCNR840125	NR - P22 beige / B	1.8	P22 Sand pattern (smooth)	1000	55	yes	
RCNR830115	RCNR840115	NR - P22 white	1.7	P22 Sand pattern (smooth)	1000	55	yes	
RCPA830345	RCPA840345	PA - A22 black	1.8	P22 Sand pattern (smooth)	2000	55		
RCSI830150	RCSI840150	SI - 00 white FG	0.9	smooth	2000	40	yes	yes
RCPV830265	RCPV840265	PF - P6 grey	4.5	P6 Grip face	2000	45		
RCPV831100	RCPV841100	PV - 00 transparent	1.7	smooth	2000	45		
RCPV831102	RCPV841102	PV - A15 transparent	1.8	A15 Nipple 1 mm	2000	45		
RCPV831103	RCPV841103	PV - A22 transparent	1.3	A22 Sandblast (medium)	2000	45		
RCPV831120	RCPV841120	PV - 00 green	1.7	smooth	2000	45		
RCPV831112	RCPV841112	PV - A15 white	1.8	A15 Nipple 1 mm	2000	45		
RCPV831110	RCPV841110	PV - 00 white	1.7	smooth	2000	45		
RCPV831122	RCPV841122	PV - A15 green	1.8	A15 Nipple 1 mm	2000	45		
RCPF831210	RCPF841210	PF - 00 white FG	1.7	smooth	2000	55	yes	yes
RCPF831212	RCPF841212	PF - A15 white FG	2.0	A15 Nipple 1 mm	2000	55	yes	yes
RCPV831123	RCPV841123	PV - A22 green	1.3	A22 Sandblast (medium)	2000	45		
RCPV831320	RCPV841320	PV - 00 beige	1.7	smooth	2000	45		
RCNI834035		NI - C5 grey	1.9	C5 Light fabric	1829	55	yes	
RCNI834101		NI - C5 grey	1.9	C5 Light fabric	1829	55	yes	
RCNI834105		NI - C37 black UV	5.0	C37 Supergrip	1829	55	yes	
RCNI834107		NI - C37 brown	4.7	C37 Supergrip	1829	50	yes	
RCNI834098		NI - C37 green/blue	3.5	C37 Supergrip	1829	65	yes	
RCNI834104		NI - C37 tan	4.3	C37 Supergrip	1829	55	yes	
RCNI834106		NI - C72A blue/green	2.2	C72 Sandgrit (rough)	1473	65	yes	
RCNI834034		NI - C72A white	1.9	C72 Sandgrit (rough)	1473	65	yes	
RCNI834036		NI - C73 grey	3.9	C73 Light Supergrip	1524	60	yes	
RCNR834094		NR - C72C white	2.3	C72 Sandgrit (rough)	1473	50	yes	

Local Contacts

... and 150 more service contact points
at ammeraalbeltech.com

Argentina

T +54 11 4218 2906
info-ar@ammeraalbeltech.com

Australia

T +61 3 8780 6000
info-au@ammeraalbeltech.com

Austria

T +43 171728 133
info-de@ammeraalbeltech.com

Belgium

T +32 2 466 03 00
info-be@ammeraalbeltech.com

Canada

T +1 905 890 1311
info-ca@ammeraalbeltech.com

Chile

T +56 2 233 12900
info-cl@ammeraalbeltech.com

China

T +86 512 8287 2709
info-cn@ammeraalbeltech.com

Colombia

T +57 1 893 9890
info-co@ammeraalbeltech.com

Czech Republic

T +420 567 117 211
info-cz@ammeraalbeltech.com

Denmark

T +45 7572 3100
info-dk@ammeraalbeltech.com

Finland

T +358 207 911 400
info-fi@ammeraalbeltech.com

France

T +33 3 20 90 36 00
info-fr@ammeraalbeltech.com

Germany

T +49 4152 937-0
info-de@ammeraalbeltech.com

Hungary

T +36 30 311 6099
info-hu@ammeraalbeltech.com

India

T +91 44 265 34 244
info-in@ammeraalbeltech.com

Israel

T +972 4 6371485
info-il@ammeraalbeltech.com

Italy

T +39 051 660 60 06
info-it@ammeraalbeltech.com

Japan

T +81 52 433 7400
info-jp@ammeraalbeltech.com

Luxembourg

T +352 26 48 38 56
info-lu@ammeraalbeltech.com

Malaysia

T +60 3 806 188 49
info-my@ammeraalbeltech.com

Mexico

T +52 55 5341 8131
info-mx@ammeraalbeltech.com

Netherlands

T +31 72 57 51212
info-nl@ammeraalbeltech.com

Peru

T +51 1 713 0069
info-pe@ammeraalbeltech.com

Poland

T +48 32 44 77 179
info-pl@ammeraalbeltech.com

Portugal

T +351 22 947 94 40
info-pt@ammeraalbeltech.com

Singapore

T +65 62739767
info-sg@ammeraalbeltech.com

Slovakia

T +421 255648542
info-sk@ammeraalbeltech.com

South Korea

T +82 31 448 3613-7
info-kr@ammeraalbeltech.com

Spain

T +34 93 718 3054
info-es@ammeraalbeltech.com

Sweden

T +46 (0) 10 130 96 00
info-se@ammeraalbeltech.com

Switzerland

T +41 55 2253 535
info-ch@ammeraalbeltech.com

Thailand

T +66 2 902 2604-13
info-th@ammeraalbeltech.com

Turkey

T +90 232 877 0700
info-tr@ammeraalbeltech.com

United Kingdom

T +44 1992 500550
info-uk@ammeraalbeltech.com

United States

T +1 847 673 6720
info-us@ammeraalbeltech.com

Vietnam

T +84 8 376 562 05
info-vn@ammeraalbeltech.com

**Expert advice, quality solutions
and local service
for all your belting needs**



General contact information:

Ammeraal Beltech
P.O. Box 38
1700 AA Heerhugowaard
The Netherlands

T +31 (0)72 575 1212
info@ammeraalbeltech.com

ammega.com